

# LIFESTYLE DOORS



# LOOKING FOR A NEW DOOR? LOOK NO FURTHER!

# **DURABLE. SOLID. VALUE.**

Blevins is thrilled to announce the extension of our door line, offering you an even wider selection.





Shop with confidence knowing that **Lifestyle Doors** are made with high strength steel and quality workmanship. Lifestyle doors are available in the industry's popular sizes to ensure you get a high-quality door made for your customer's home.

Lifestyle Fiberglass Combination
Doors are strong with features like
a solid core, heavy-duty frame, and
come prepped for a dead bolt. All
Lifestyle combination doors come
with a hard-working storm door. No
matter the style or budget, Lifestyle
doors are designed to provide a
great look, outstanding durability,
and deliver value for years to come.





# **Explore Our Full Selection Online**

Scan the QR CODE to visit our website and browse our complete range of doors. You'll also find helpful information on measuring and

installation.



**LIFESTYLE COMBO DOORS** combine the security of a solid core, fiberglass door with a polyurethane filling in unfinished white with the convenience of a storm door. Built to withstand the elements, they keep your home safe and secure.

6.5"

#### 2 PANEL with 6 LITE

Jamb Width		4"	4"
Door Color		White	White
Storm Color		White	White
Storm Style		Full View	Self-Storing
Size	Hinge Orientation	Item ID	Item ID
32" x 76"	LH	0217672	0217668
32" x 76"	RH	0217673	0217669
34" x 76"	LH	0217696	
34" x 76"	RH	0217697	
36" x 76"	LH	0217720	0217716
36" x 76"	RH	0217721	0217717
36" x 80"	LH	0217736	
36" x 80"	RH	0217737	
38" x 76"	LH	0217752	0217748
38" x 76"	RH	0217753	0217749
38" x 80"	LH	0217760	
38" x 80"	RH	0217761	
38" x 82"	LH	0217768	
38" x 82"	RH	0217769	



Full View Storm Shown

#### 2 PANEL with 9 LITE

Jamb Width

Door Color		White	White	White
Storm Color		White	White	White
Storm Style		Full View	Self-Storing	Self- Storing
Size	Hinge Orientation	Item ID	Item ID	Item ID
32" x 76"	LH		0216168	
32" x 76"	RH		0216169	
34" x 76"	LH	0216388	0216384	0216386
34" x 76"	RH	0216389	0216385	0216387
34" x 78"	LH		0216456	
34" x 78"	RH		0216457	
34" x 80"	LH		0216528	0216530
34" x 80"	RH		0216529	0216531
38" x 76"	LH		0216888	0216890
38" x 76"	RH		0216889	0216891
38" x 80"	LH			0216962
38" x 80"	RH			0216963



Self-Storing Storm Shown

# 2 PANEL with MINI BLIND

Jamb Width	4"	6.5"
Door Color	White	White
Storm Color	White	White
Storm Style	Self-Storing	Self-Storing

Size	Hinge Orientation	Item ID	Item ID
34" x 76"	LH	0216400	0216402
34" x 76"	RH	0216401	0216403



Self-Storing Storm Shown

# 2 PANEL with 3/4 OVAL

Jamb Width		4"	6.5"	6.5"
Door Color		White	White	White
Storm Color		White	White	White
Storm Style		Full View	Full View	Self-Storing
Size	Hinge Orientation	Item ID	Item ID	Item ID
34" x 76"	LH	0216420	0216422	
34" x 76"	RH	0216421	0216423	
36" x 80"	LH	0216780		
36" x 80"	RH	0216781		
38" x 76"	LH		0216926	
38" x 76"	RH		0216927	
38" x 80"	LH			0216994
38" x 80"	RH			0216995



Full View Storm Shown

#### 2 PANEL with DECORATIVE RECTANGLE

Jamb Width	4"
Door Color	White
Storm Color	White
Storm Style	Full View

Size	Hinge Orientation	ltem ID
34" x 76"	LH	0216412
34" x 76"	RH	0216413
34" x 80"	LH	0216556
34"x 80"	RH	0216557
36" x 76"	LH	0216628
36" x 76"	RH	0216629
36" x 80"	LH	0216772
36" x 80"	RH	0216773
38" x 80"	LH	0216988
38" x 80"	RH	0216989
38" x 82"	LH	0217060
38" x 82"	RH	0217061



Full View Storm Shown

#### **BLANK with DIAMOND**

32" x 80"

Jamb Width		4"
Door Color		White
Storm Color		White
Storm Style		Self-Storing
Size	Hinge Orientation	ltem ID
32" x 80"	LH	0216320

0216321

RH



#### 4 PANEL with DECORATIVE SUNBURST

Jamb Width	4"	4"	6.5"
Door Color	White	White	White
Storm Color	White	White	White
Storm Style	Full View	Self-Storing	Self-Storing

Storin Style		i uli view	Self-Storing	Jeii-Jioning
Size	Hinge Orientation	Item ID	Item ID	Item ID
32" x 76"	LH		0216160	
32" x 76"	RH		0216161	
34" x 76"	LH	0216380	0216376	0216378
34" x 76"	RH	0216381	0216377	0216379
34" x 80"	LH	0216524	0216520	0216522
34" x 80"	RH	0216525	0216521	0216523
36" x 76"	LH	0216596		
36" x 76"	RH	0216597		
36" x 80"	LH	0216740	0216736	
36" x 80"	RH	0216741	0216737	
38" x 76"	LH		0216880	0216882
38" x 76"	RH		0216881	0216883
38" x 80"	LH	0216956	0216952	
38" x 80"	RH	0216957	0216953	



Self-Storing Storm Shown

#### 4 PANEL with STANDARD SUNBURST

Jamb Width		4"	4"	6.5"
Door Color		White	White	White
Storm Color		White	White	White
Storm Style		Full View	Self- Storing	Self-Storing
Size	Hinge Orientation	ltem ID	Item ID	Item ID
32" x 76"	LH		0216152	
32" x 76"	RH		0216153	
34" x 76"	LH	0216372	0216368	0216370
34" x 76"	RH	0216373	0216369	0216371
34" x 80"	LH		0216512	
34" x 80"	RH		0216513	
36" x 76"	LH		0216584	
36" x 76"	RH		0216585	
36" x 80"	LH		0216728	
36" x 80"	RH		0216729	
38" x 80"	LH		0216944	0216946
38" x 80"	RH		0216945	0216947
38" x 82"	LH		0217016	
38" x 82"	RH		0217017	



Self-Storing Storm Shown

#### **6 PANEL with KNOCKER VIEWER**

Jamb Width	4"	4"	6.5"	6.5"
Door Color	White	White	White	White
Storm Color	White	White	White	White
Storm Style	Full View	Self-Storing	Self-Storing	Full View

Size	Hinge Orientation	Item ID	Item ID	Item ID	Item ID
32" x 76"	LH		0216144	0216146	
32" x 76"	RH		0216145	0216147	
34" x 76"	LH	0216364	0216360	0216362	0216366
34" x 76"	RH	0216365	0216361	0216363	0216367
34" x 78"	LH		0216432		
34" x 78"	RH		0216433		
34" x 80"	LH		0216504	0216506	
34" x 80"	RH		0216505	0216507	
36" x 76"	LH	0216580	0216576		
36" x 76"	RH	0216581	0216577		
36" x 80"	LH	0216724	0216720		
36" x 80"	RH	0216725	0216721		
38" x 76"	LH		0216864	0216866	
38" x 76"	RH		0216865	0216867	
38" x 80"	LH		0216936	0216938	
38" x 80"	RH		0216937	0216939	
38" x 82"	LH		0217008	0217010	
38" x 82"	RH		0217009	0217011	



Self-Storing Storm Shown

#### **COMBO DOOR ACCESSORIES**



0210601 Safety Chain Kit for Exterior Door



0212036 Hardware Kit for Storm Door - Black



0212038 Hardware Kit for Storm Door - White



#### 0290116

Entrance Combo Lock with Deadbolt and Mortise Plate -Stainless Steel





0295126 Adjustable Entrance Combo Lock - Stainless Steel





0295127 Combo Lock Set Master Keyed - Stainless Steel

**LIFESTYLE OUTSWING DOORS** are made with high strength steel and quality workmanship. They have a polyethylene filling, 0.5mm steel skin with PVC film and are white.

0217249

0217326

0217327

White

#### 2 PANEL with 6 LITE

32" x 76"

34" x 76"

34" x 76"

Exterior Color		White
Interior Color		White
Frame Color		White
Size	Hinge Orientation	Item ID
32" x 76"	LH	0217248

RH

LH

RH



#### 2 PANEL with 9 LITE

**Exterior Color** 

Interior Color		White
Frame Color		White
Size	Hinge Orientation	Item ID
30" x 72"	LH	0217094
30" x 72"	RH	0217095
32" x 74"	LH	0217224
32" x 74"	RH	0217225
32" x 76"	LH	0217250
32" x 76"	RH	0217251
32" x 78"	LH	0217276
32" x 78"	RH	0217277
34" x 76"	LH	0217328
34" x 76"	RH	0217329
36" x 80"	LH	0217458 / 0217484*
36" x 80"	RH	0217459 / 0217485*



<sup>\*</sup> not deadbolt prepped

#### 2 PANEL with MINI BLIND

Exterior Color		White
Interior Color		White
Frame Color		White
	112	
Size	Hinge Orientation	Item ID
Size 34" x 76"		Item ID 0217330



#### 2 PANEL with VERTICAL SLIDER

Exterior Color	White
Interior Color	White
Frame Color	White

Size Hinge Item	D
32" x 72" LH 02172	06
32" x 72" RH 02172	07
32" x 74" LH 02172	32
32" x 74" RH 02172	33
32" x 76" LH 02172	58
32" x 76" RH 02172	59
34" x 76" LH 02173	36
34" x 76" RH 02173	37
36" x 80" LH 02174	66
36" x 80" RH 02174	67



# 4 PANEL with 4 LITE

Exterior Color	White
Interior Color	White
Frame Color	White

Size	Hinge Orientation	Item ID
34" x 76"	LH	0217332
34" x 76"	RH	0217333



# 4 PANEL with DECORATIVE SUNBURST

Exterior Color	White
Interior Color	White
Frame Color	White

Size	Hinge Orientation	Item ID
30" x 72"	LH	0217086
30" x 72"	RH	0217087
32" x 72"	LH	0217190
32" x 72"	RH	0217191
32" x 76"	LH	0217242
32" x 76"	RH	0217243
34" x 76"	LH	0217320
34" x 76"	RH	0217321



#### 4 PANEL with SUNBURST

Exterior Color	White
Interior Color	White
Frame Color	White

Size	Hinge Orientation	ltem ID
30" x 72"	LH	0217084
30" x 72"	RH	0217085
32" x 72"	LH	0217188
32" x 72"	RH	0217189
32" x 76"	LH	0217240
32" x 76"	RH	0217241
34" x 76"	LH	0217318
34" x 76"	RH	0217319
36" x 80"	LH	0217474
36" x 80"	RH	0217475



# **6 PANEL DOOR**

Exterior Color	White
Interior Color	White
Frame Color	White

	White
Hinge Orientation	Item ID
LH	0217080
RH	0217081
LH	0217184
RH	0217185
LH	0217236
RH	0217237
LH	0217314
RH	0217315
LH	0217366
RH	0217367
LH	0217444 / 0217470*
RH	0217445 / 0217471*
	Orientation  LH  RH  LH



<sup>\*</sup> not deadbolt prepped

### 6 PANEL with KNOCKER VIEWER

Exterior Color	White
Interior Color	White
Frame Color	White

Size	Hinge Orientation	ltem ID
32" x 76"	LH	0217238
32" x 76"	RH	0217239
34" x 76"	LH	0217316
34" x 76"	RH	0217317



#### **BLANK**

Exterior Color		White
Interior Color		White
Frame Color		White
Size	Hinge Orientation	ltem ID
48" x 72"	LH	0218372*
48" x 72"	RH	0218373*
48" x 72"	LH	0218374
48" x 72"	RH	0218375

<sup>\*</sup> not deadbolt prepped



#### **BLANK with DIAMOND**

Exterior Color	White
Interior Color	White
Frame Color	White

Size	Hinge Orientation	Item ID
32" x 72"	LH	0217192
32" x 72"	RH	0217193
32" x 76"	LH	0217244
32" x 76"	RH	0217245
32" x 80"	LH	0217296
32" x 80"	RH	0217297
34" x 76"	LH	0217322
34" x 76"	RH	0217323
36" x 80"	LH	0217452
36" x 80"	RH	0217453
36" x 80"	LH	0217478*
36" x 80"	RH	0217479*



#### **OUTSWING DOOR ACCESSORIES**



#### 0290116

Entrance Combo Lock with Deadbolt and Mortise Plate -Stainless Steel



#### 0295046

Entrance Lock Master Keyed with Adjustable Bolt - Stainless Steel (for non deadbolt)





#### **0295126** Adjustable Entrance Combo Lock - Stainless Steel





**0295127** Combo Lock Set Master Keyed - Stainless Steel

#### SHED DOOR BLANK

Exterior Color	White
Interior Color	White
Frame Color	Mill

Size	Hinge Orientation	Item ID
36" x 80"	LH	0217636
36" x 80"	RH	0217637



#### SHED DOOR BLANK with SQUARE

Exterior Color	White
Interior Color	White
Frame Color	Mill

Size	Hinge Orientation	Item ID
36" x 80"	LH	0217644
36" x 80"	RH	0217645



#### STORM DOOR

Storm Type Storm Color		Full View White	Self-Storing White
Dimensions	Hinge Orientation	Item ID	ltem ID
34" x 76"	LH	0217570	0217568
34" x 76"	RH	0217571	0217569



# **Limited Warranty Policy for Fiberglass Door Slab and Related Components**

#### **WARRANTY COVERAGE**

Lifestyle warrants to all the original purchaser of Lifestyle entry door systems that, from the date of purchase through the durations specified below, the various parts of the system will be free of defects in materials and workmanship. If within the applicable LIMITED WARRANTY duration a door system or component is determined by Lifestyle to be defective in materials or workmanship, then in Lifestyle sole discretion, Lifestyle will REPLACE or REPAIR the entry door system or defective components OR will REFUND the original amount paid.

#### A: FIBERGLASS DOOR SLAB

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Door slab structure (mainly core structure) no obvious deformation	Temperature for storage or use: -18°C~+50°C; Humidity: <b>≤</b> 70%		If the temperature or humidity for storage or use does not match with the warrant condition, Lifestyle makes no warranty.
	no exposure to harmful chemicals	5 Years	Lifestyle is not responsible for product damages when exposed to harmful chemicals or outdoor uncovered environment.
	properly installed, and no impact by foreign objects		Improperly installed or impact by foreign objects, Lifestyle makes no warranty.
No cracks on the glass unit installed with door slab	no impact by foreign objects	5 Years	Lifestyle will not be held liable for any damages to glass caused by foreign impact.
Color change of unfinished door slab ΔE<5.0	Temperature for storage or use: -18°C~+50°C; Humidity: ≤70%, Annual average daily radiation exposure 6kMh/m²/day	5 Years	If the environment conditions for storage or use does not match with the warrant condition, Lifestyle makes no warranty.

#### **B: DOOR SLAB SURFACE**

Lifestyle warrants that the door slabs can be painted or stained within the warrant period specified below; If door slabs are determined by Lifestyle to be defective, and cannot be painted, then in Lifestyle sole discretion, Lifestyle will REPLACE or REPAIR the products OR will REFUND the original amount paid.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Unfinished white door Slabs can be painted	The door slab surface should be clean	5 Years	The surface of door slab should be clean and free of dirt before painting
Color change of painted door slab ΔE<5.0	Temperature for storage or use: -18°C~+50°C; Humidity: ≦70%, Annual average daily radiation exposure 6kMh/m²/day	5 Years	If the environment conditions for storage or use does not match with the warrant condition, Lifestyle makes no warranty.

#### C: PVC FRAMES

Lifestyle PVC frames are guaranteed to be free of rot, and damages which are not caused by foreign impact or deliberately within the warranty period specified below.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
No rot or obvious deformation	Temperature for storage or use: -18°C~+50°C; Humidity: <70%	10 Years	Lifestyle makes no warranty for rot or deformation caused by improper installation or foreign impact.
Color change of frame surface ΔE<5.0	Temperature for storage or use: -18°C~+50°C; Humidity: <a href="mailto:s70%">s70%</a> , Annual average daily radiation exposure 6kMh/m²/day	2 Years	If the environment conditions for storage or use does not match with the warrant condition, Lifestyle makes no warranty.

#### D: LOCK, HANDLE, ETC.

Lifestyle warrants that locks, handles, and hinges purchased from Lifestyle are free of rust and damages which are not caused by foreign impact or deliberately within the warranty period specified below.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Lock and handle perform well	Temperature for storage or use: -18°C~+50°C; Humidity: ≤70%	5 Years	Improperly installed or impact by foreign objects, Lifestyle makes no warranty.
No rust on the surface of lock, handle, or hinges	Temperature for storage or use: -18°C~+50°C; Humidity: <b>≤</b> 70%,	1 Years	If install or use in annual high temperature, high humidity, or high salt environment, Lifestyle makes no warranty.

#### WHAT LIFESTYLE WILL DO:

- 1. Once we receive your notice for warranty claim, we will get in touch with your contact within 3 working days to know more details about the defect, and will analyze it. We will inform you about remedy solution within 7 working days from the first date of your notice.
- 2. If Lifestyle approves your claim, and elects to replace or return the defective product or parts, replacement products shall be a reasonably similar to current product, or with the closest specification you could accept.
- 3. In the event Lifestyle elects to provide a replacement, the Limited Warranty of the replacement will extend only for the balance of the original Warranty period, or 90 days, whichever is longer.
- 4. Lifestyle is not responsible for any damages caused by significant change in local temperature for storage or use comparing to the previous year.

#### Lifestyle is not responsible or makes no warranty to product damage, failure, or loss due

- 1. Normal wear and tear from product usage or age, including normal wear and tear of weather strip, normal weathering of door slab face, color or texture change in door slab or wood; width less than 1/32" or length less than 2" cracks on the edge of door slab.
- 2. Normal wear of door slab, frames, and other parts, or the change of door slab face, like corrosion or loss of luster.
- 3. Improper storage(outdoor uncovered environment), improper installation, use, modification or alternation.
- 4. Any other causes beyond the manufacturer's control, like earthquake, flood, typhoon, or war.
- 5. Storage/installation/use not conducted in strict adherence with instructions
- 6. Structural, functional, or other issues caused by improper on-site installation, improper door size, or others

## Lifestyle will not make warranty either in the following cases:

- 1. Slight expansion or contraction caused by environmental changes (temperature and humidity changes), less than 1.5mm horizontal bending of any door slab with width below 840mm, and less than 2.5mm vertical bending of any door slab with length below 2000mm. It can not be guaranteed that a wider and longer door will not warp in an environment with changes in temperature and humidity. Refer to the "Quality Standards for Lifestyle Fiberglass Doors"
- 2. The functional defects caused by the cross use of door slabs and components not provided by Lifestyle, or door slab parts provided by Lifestyle with those of other manufacturers.

#### **Important Note:**

This Limited Warranty sets forth the maximum liability for our products. In no event, Shall Lifestyle be liable for any incidental, consequential or special damages resulting from the sale, installation or use of any Lifestyle products.

#### **Limited Warranty Policy for Steel Door Slab and Related Components**

#### **WARRANTY COVERAGE**

Lifestyle warrants to all the original purchaser of Lifestyle entry door systems that, from the date of purchase through the durations specified below, the various parts of the system will be free of defects in materials and workmanship. If within the applicable LIMITED WARRANTY duration a door system or component is determined by Lifestyle to be defective in materials or workmanship, then in Lifestyle sole discretion, Lifestyle will REPLACE or REPAIR the entry door system or defective components OR will REFUND the original amount paid.

#### A: STEEL DOOR SLAB

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Door slab structure (mainly core structure) no obvious deformation	Temperature for storage or use: -18°C~+50°C; Humidity: <u>≤</u> 70%		If the temperature or humidity for storage or use does not match with the warrant condition, Lifestyle makes no warranty.
	no exposure to harmful chemicals	5 Years	Lifestyle is not responsible for product damages when exposed to harmful chemicals or outdoor uncovered environment.
	properly installed, and no impact by foreign objects		Improperly installed or impact by foreign objects, Lifestyle makes no warranty.
No cracks on the glass unit installed with door slab	no impact by foreign objects	5 Years	Lifestyle will not be held liable for any damages to glass caused by foreign impact.
Color change of unfinished door slab ΔE<5.0	Temperature for storage or use: -18°C~+50°C; Humidity: ≤70%, Annual average daily radiation exposure 6kMh/m²/day	5 Years	If the environment conditions for storage or use does not match with the warrant condition, Lifestyle makes no warranty.

#### **B: DOOR SLAB SURFACE**

Lifestyle warrants that the door slabs are free of defect on the surface within the warrant period specified below; If door slabs are determined by Lifestyle to be defective, then in Lifestyle sole discretion, Lifestyle will REPLACE the products OR will REFUND the original amount paid.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Original coating on door surface	No exposure to harmful chemicals	5 Years	No delamination for the coating, and no flaking paint

#### **C: PVC FRAMES**

Lifestyle PVC frames are guaranteed to be free of rot, and damages which are not caused by foreign impact or deliberately within the warranty period specified below.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
No rot or obvious deformation	Temperature for storage or use: -18°C~+50°C; Humidity: <u>≤</u> 70%	10 Years	Lifestyle makes no warranty for rot or deformation caused by improper installation or foreign impact.
Color change of frame surface ΔE<5.0	Temperature for storage or use: -18°C~+50°C; Humidity: ≤70%, Annual average daily radiation exposure 6kMh/m²/day	2 Years	If the environment conditions for storage or use does not match with the warrant condition, Lifestyle makes no warranty.

#### D: WOOD FRAME

Lifestyle wood frames are guaranteed to be free of fracture, rot, and damages which are not caused by foreign impact or deliberately within the warranty period specified below.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Free of mold, fracture, rot or obvious deformation before installation	Cool, dry and ventilated indoor warehouse storage, and smooth stacking	6 Months	If the environment conditions for storage does not match with the warrant condition, Lifestyle makes no warranty.
No fracture, rot, or obvious deformation after installation	Temperature for storage or use: -18°C~+50°C; Humidity: <70%,	5 Years	If the environment conditions for use does not match with the warrant condition, Lifestyle makes no warranty.

#### E: LOCK, HANDLE, ETC.

Lifestyle warrants that locks, handles, and hinges purchased from Lifestyle are free of rust and damages which are not caused by foreign impact or deliberately within the warranty period specified below.

WARRANT ITEM	WARRANT CONDITION	WARRANT TIME	REMARKS
Lock and handle perform well	Temperature for storage or use: -18°C~+50°C; Humidity: <u>≤</u> 70%	5 Years	Improperly installed or impact by foreign objects, Lifestyle makes no warranty.
No rust on the surface of lock, handle, or hinges	Temperature for storage or use: -18°C~+50°C; Humidity: <u>≤</u> 70%,	1 Years	If install or use in annual high temperature, high humidity, or high salt environment, Lifestyle makes no warranty.

#### WHAT LIFESTYLE WILL DO:

- 1. Once we receive your notice for warranty claim, we will get in touch with your contact within 3 working days to know more details about the defect, and will analyze it. We will inform you about remedy solution within 7 working days from the first date of your notice.
- 2. If Lifestyle approves your claim, and elects to replace or return the defective product or parts, replacement products shall be a reasonably similar to current product, or with the closest specification you could accept.
- 3. In the event Lifestyle elects to provide a replacement, the Limited Warranty of the replacement will extend only for the balance of the original Warranty period, or 90 days, whichever is longer.
- 4. Lifestyle is not responsible for any damages caused by significant change in local temperature for storage or use comparing to the previous year.

#### Lifestyle is not responsible or makes no warranty to product damage, failure, or loss due

- 1. Normal wear and tear from product usage or age, including normal wear and tear of weather strip, normal weathering of door slab face, color or texture change in door slab or wood; width less than 1/32" or length less than 2" cracks on the edge of door slab.
- 2. Normal wear of door slab, frames, and other parts, or the change of door slab face, like corrosion or loss of luster.
- 3. Improper storage(outdoor uncovered environment), improper installation, use, modification or alternation.
- 4. Any other causes beyond the manufacturer's control, like earthquake, flood, typhoon, or war,
- 5. Storage/installation/use not conducted in strict adherence with instructions
- 6. Structural, functional, or other issues caused by improper on-site installation, improper door size, or others

#### Lifestyle will not make warranty either in the following cases:

- 1. Slight expansion or contraction caused by environmental changes (temperature and humidity changes), less than 1.5mm horizontal bending of any door slab with width below 840mm, and less than 2.5mm vertical bending of any door slab with length below 2000mm. It can not be guaranteed that a wider and longer door will not warp in an environment with changes in temperature and humidity. Refer to the "Quality Standards for Lifestyle Fiberglass Doors"
- 2. The functional defects caused by the cross use of door slabs and components not provided by Lifestyle, or door slab parts provided by Lifestyle with those of other manufacturers.

#### Important Note:

This Limited Warranty sets forth the maximum liability for our products. In no event, Shall Lifestyle be liable for any incidental, consequential or special damages resulting from the sale, installation or use of any Lifestyle products.





#### **ALBUQUERQUE**

8000 Bluewater Road NW, Suite D Albuquerque, NM 87121 505.420.6108 | 888.275.1044

#### **ALEXANDRIA**

3323 North Bolton Ave. Alexandria, LA 71303 318.443.2505 | 1.800.234.2505

#### **BRISTOL**

21528 Travalite Dr. Bristol, VA 24202 276.669.2216 | 1.800.544.0171

#### FT. WORTH

2109 Carson St. Fort Worth, TX 76117 817.429.6200 | 1.800.792.1030

#### **GREENVILLE**

313 Standing Springs Ct. Simpsonville, SC 29680 864.688.6088 | 1.800.327.8608

#### HARRISBURG

621 Kreider Dr. Middletown, PA 17057 717.944.3009 | 1.800.568.1240

#### **JACKSONVILLE**

6740 Broadway Ave. Jacksonville, FL 32254 904.562.7428 | 1.877.473.2124

#### **LEXINGTON**

5030 Jo Marrs St. Lexington, KY 40509 859.263.5129 | 1.800.727.8778

#### **LIVERPOOL**

4657 Crossroads Park Dr. Liverpool, NY 13088 315.453.0636 | 1.800.237.7813

#### **MOBILE**

3941 Demetropolis Rd. Mobile, AL 36693-5551 251.666.8750 | 1.800.766.8750

#### **MOLINE**

2751 Morton Drive East Moline, IL 61244 309.281.1801 | 800.747.7091

#### **NASHVILLE**

421 Hart Ln. Nashville, TN 37216 615.228.2616 | 1.800.759.5910

#### **NEW CARLISLE**

1790 Dalton Dr. New Carlisle, OH 45344 937.849.6600 | 1.800.777.6601

#### **ROCKY MOUNT**

750 Fenner Rd. Rocky Mount, NC 27804 252.442.0101 | 1.800.967.0111



# **Explore Our Full Door Selection Online**

Scan the QR CODE to visit our website and browse our complete range of doors. You'll also find helpful information on measuring and installation.

FOR MORE INFORMATION, CONTACT YOUR LOCAL BRANCH OR TERRITORY MANAGER TODAY!

www.BLEVINSINC.com

